



Smooth... Safe... Easy...



COMPLETE CUTTING SOLUTION

## ABOUT US

We would like to introduce our company as one of the pioneer company in India having specialization in manufacturing of various types of Gas Welding & Cutting Accessories. We are ISI & ISO 9001-2008 certified & approved by TUV Rhineland.

innovation and R&D are non-ending activity at our end. our products match to the inter-national standards of best workmanship, finish, and packing. we are confident enough that we can cover world over to the almost all the requirements in welding technology

We have all the latest technologies for manufacturing our products from scrap and finishing it to final product our production line consist of forging, Machining, Polishing, Plating and Packing each department has its own quality control personnel, who is always on this heels, testing each and every product for quality consistency. we are having a very experienced skilled technical staff, who lead our workforce to achieve perfection at every stage.

Smooth... Safe... Easy...



## BLOW PIPE CUTTER



IS : 7653  
  
CM/L-7600029211

## 303 NM GAS CUTTING TORCH (NOZZLE MIX)



IS : 7653  
  
CM/L-7600029211

## STRAIGHT CUTTING TORCH



Smooth... Safe... Easy...



### LPG HEATING TORCH

• 12" • 18" • 24" • 36"



---

### GAS WELDING TORCH - GOLDEN



---

### GAS WELDING TORCH - SILVER





Smooth... Safe... Easy...



### REGULATOR DOUBLE METER

| Gas            | Model No. | Inlet Pressure | Outlet Pressure | Inlet Connection | Outlet Connection |
|----------------|-----------|----------------|-----------------|------------------|-------------------|
| Oxygen         | GOX-2E    | 150 bar        | 10 bar          | G-5/8"-14BSP RH  | G-3/8"-19 BSP RH  |
| Acetylene      | GDA-2E    | 25 bar         | 1 bar           | G-5/8"-14BSP LH  | G-3/8"-19 BSP LH  |
| Carbon Dioxide | GCO2-2E   | 80 bar         | 4 bar           | W 21.8X14 RH     | G-3/8"-19 BSP RH  |
| Argon          | GAR-2E    | 150 bar        | 10 bar          | G-5/8"-14BSP RH  | G-3/8"-19 BSP RH  |
| Nitrogen       | GN2-2E    | 150 bar        | 10 bar          | G-5/8"-14BSP RH  | G-3/8"-19 BSP RH  |
| Hydrogen       | GH2-2E    | 150 bar        | 10 bar          | G-5/8"-14BSP LH  | G-3/8"-19 BSP LH  |



### REGULATOR DOUBLE METER ISI

IS : 6901  
**ISI**  
CM/L-7600029110

| Gas            | Model No.   | Inlet Pressure | Outlet Pressure | Inlet Connection | Outlet Connection |
|----------------|-------------|----------------|-----------------|------------------|-------------------|
| Oxygen         | GOX-2E-ISI  | 150 bar        | 10 bar          | G-5/8"-14BSP RH  | G-3/8"-19 BSP RH  |
| Acetylene      | GDA-2E-ISI  | 25 bar         | 0.8 bar         | G-5/8"-14BSP LH  | G-3/8"-19 BSP LH  |
| Carbon Dioxide | GCO2-2E-ISI | 80 bar         | 4 bar           | W 21.8X14 RH     | G-3/8"-19 BSP RH  |
| Argon          | GAR-2E-ISI  | 150 bar        | 2 bar           | G-5/8"-14BSP RH  | G-3/8"-19 BSP RH  |

### REGULATOR SINGLE METER



- OXYGEN REGULATOR
- ACETYLENE REGULATOR

### LPG REGULATOR DOUBLE METER



Smooth... Safe... Easy...

### LPG REGULATOR

- 22 MM
- 25 MM



### LPG REGULATOR HEAVY

- 22 MM
- 25 MM



### LPG REGULATOR SINGLE METER

- 22 MM
- 25 MM



### LPG ADEPTOR

- 22 MM
- 25 MM



### FLOW METER



### FLASHBACK ARRESTOR



Smooth... Safe... Easy...

## B TYPE NOZZLE



| Nozzle Size In Inches | Thickness To Be Cut In MM |
|-----------------------|---------------------------|
| 1/32"                 | 3-6                       |
| 3/64"                 | 6-25                      |
| 1/16"                 | 25-100                    |
| 5/64"                 | 100-150                   |
| 3/32"                 | 150-200                   |
| 7/64"                 | 200-250                   |
| 1/8"                  | 250-300                   |

## PNM NOZZLE



## A TYPE NOZZLE



| Nozzle Size In Inches | Thickness To Be Cut In MM |
|-----------------------|---------------------------|
| 1/32"                 | 3-6                       |
| 3/64"                 | 6-25                      |
| 1/16"                 | 25-100                    |
| 5/64"                 | 100-150                   |
| 3/32"                 | 150-200                   |
| 7/64"                 | 200-250                   |
| 1/8"                  | 250-300                   |

## ANM NOZZLE



## DETACHABLE




## SWAGE



| Thickness MS            | MM          | 0.6  | 0.91 | 1.2  | 2.1  | 2.6  | 3.2  | 3.9  | 4.8  | 6.4  | 8    |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|
| Tip Number              |             | 0    | 1    | 2    | 3    | 5    | 7    | 10   | 13   | 18   | 25   |
| Oxygen Pressure         | Kg/Sq. CM   | 0.14 | 0.14 | 0.14 | 0.14 | 0.14 | 0.28 | 0.28 | 0.28 | 0.42 | 0.42 |
| Acetylene Pressure      | Kg/Sq. CM   | 0.14 | 0.14 | 0.14 | 0.14 | 0.14 | 0.28 | 0.28 | 0.28 | 0.42 | 0.42 |
| Consumption of Each Gas | Cu Meter/Hr | 0.03 | 0.03 | 0.06 | 0.09 | 0.14 | 0.2  | 0.3  | 0.4  | 0.5  | 0.7  |

Smooth... Safe... Easy...


### LPG HIGH PRESSURE HEATING TORCH



### 2 WAY VALVE-NIPPLE



### 2 WAY VALVE-NUT NIPPLE



### SODA REGULATOR





Smooth... Safe... Easy...

### MEDICAL OXYGEN SINGLE METER



### MEDICAL OXYGEN DOUBLE METER



### FA VALVE WITH HUMIDIFIER BOTTLE



Smooth... Safe... Easy...

CYLINDER NUT 58 GM



CYLINDER NUT 80 GM



CYLINDER NUT 100 GM



OXY. BULL NOSE



CO2 BULL NOSE



MANIFOLD BULL NOSE



CO2 NUT



ARGON NUT



HEAD NUT



1/4 NUT NIPPLE SET



3/8 NUT NIPPLE SET



HOUSE JOINT

- 8 MM
- 10 MM



Smooth... Safe... Easy...

### CO2 ADEPTOR



### ARGON ADEPTOR



### JAM NUT



### BRASS COLLET

- 1.6 MM • 2 MM • 2.4 MM
- 3 MM • 4 MM



### CONTACT TIP HOLDER

- 24KD
- 36KD



### 3/8 X 3/8 CONNECTOR WITH NIPPLE



### LPG BURNER

- No. 2, 3, 4, 5, 6



### SEAT NUT



### CYLINDER TESTING GAUGE



### PRESSURE GAUGE



### FLY PIN



Manufactured by :

## **Hindustan Forging**

Manu. of : All Kinds of Welding Equipments Parts  
8, Ashapura Estate, 58, Udyognagar, B/h. Bhagvati Hotel,  
JAMNAGAR - 361 004 Gujarat. (INDIA)

Mobile : +91 99258 17281

Phone : +91 - 288 - 2561163

Email : [info@gasco.in](mailto:info@gasco.in)

Web. : [www.gasco.in](http://www.gasco.in)

: Dealer / Distributor :